

Cordless tools
 Li-Ion
 Drilling/Fastening
 Impact
 Drilling/Demolition
 Cutting
 Grinding/Sanding
 Sawing
 Planing/Routing
 Outdoor
 Power Equipment
 Dust
 Extraction/Others
 SSP Series
 Pneumatic

Model MT110X

560W motor
CB-303A



82mm (3-1/4") Power Planer

Continuous rating Input	560W
Planing width	82mm (3-1/4")
Planing depth	1mm (1/32")
No load speed (rpm)	15,000
Overall length	290mm (11-3/8")
Net weight	2.5kg (5.5lbs)

Model MT190

560W motor
CB-411A



82mm (3-1/8") Power Planer

Continuous rating Input	560W
Planing width	82mm (3-1/4")
Planing depth	1mm (1/32")
No load speed (rpm)	15,000
Overall length	290mm (11-3/8")
Net weight	2.5kg (5.5lbs)

Model MT230

1,500W motor



255mm (10") Compound Miter Saw

Continuous rating input	1,500W
Blade diameter	255mm
Capacity at 90°	75 x 130mm
Capacity at 45°	75 x 90mm
Capacity at 90° 45°	48 x 130mm
Capacity at 45° 45°	48 x 98mm
No load speed (rpm)	4,200
Net weight	14.7kg

Model MT240

2,000W motor
CB-203A



355mm (14") Portable Cut-off

Continuous rating Input	2,000W
Wheel dia.	355mm (14")
Hole dia.	25.4mm (1")
No load speed (rpm)	3,800
Net weight	15.9kg (35.1lbs)

Model MT360

1,650W motor
CB-203A



12mm (1/2") Router

Continuous rating Input	1,650W
Collet capacity	12mm (1/2")
No load speed (rpm)	22,000
Plunge capacity	0-60mm (0-2-3/8")
Overall length	287mm (11-1/4")
Base dia.	160mm (6-5/16")
Net weight	5.8kg (12.8lbs)

Model MT370

460W motor
CB-411A



6mm (1/4") Trimmer

Continuous rating Input	460W
Collet capacity	6mm (1/4")
No load speed (rpm)	35,000
Overall length	199mm (8")
Net weight	1.7kg (3.7lbs)

Model MT400

500W motor
CB-85A



428mm (16-7/8") Blower

Continuous rating Input	500W
Air volume	1.3-2.4m
No load speed (rpm)	8,500-16,000
Overall length	428mm (16-7/8")
Net weight	1.3kg (2.8lbs)

Model MT410 / MT411

1,200W motor
CB-303A
• MT410

900W motor
CB-303A
• MT411



110mm (4-3/8") Cutter

Continuous rating Input	1,200W : MT410 900W : MT411
Blade diameter	110mm (4-3/8")
Max. cutting capacity	32mm (1-1/4")
No load speed (rpm)	13,000 : MT410 12,000 : MT411
Overall length	226mm (8-7/8") : MT410
Net weight	2.9kg (6.4lbs) : MT410 2.7kg (6.0lbs) : MT411

Model MT430

450W motor
CB-155A
AUTO-CUT



Jig Saw

Continuous rating Input	450W
Stroke per minutes (spm)	0-3,100
Capacity	Wood : 55mm Mild steel plate : 6mm
Dimensions	219 x 85 x 194mm
Net weight	2.5kg

Model MT560 / MT580

1,050W motor
CB-303A



165mm (6-1/2") / 185mm (7-1/4") Circular Saw

Continuous rating Input	1,050W
Blade diameter	165mm (6-1/2") / 185mm (7-1/4")
Max. cutting capacities at 90°	56mm (2-3/16") / 66mm (2-5/8") at 45° 37mm (1-7/16") / 44mm (1-11/16")
No load speed (rpm)	4,700
Overall length	273mm (10-3/4") / 286mm (11-1/4")
Net weight	3.4kg (7.5lbs) / 3.5kg (7.7lbs)

Model MT600

350W motor
CB-85A



10mm (3/8") Drill

Continuous rating Input	350W
Max. capacities	Steel 10mm (3/8") Wood 25mm (1")
No load speed (rpm)	0-2,500
Overall length	236mm (9-1/4")
Net weight	1.4kg (3lbs)

Model MT603

450W motor
CB-85A



10mm (3/8") Drill

Continuous rating Input	450W
Max. capacities	Steel 10mm (3/8") Wood 25mm (1")
No load speed (rpm)	0-3,000
Overall length	228mm (9")
Net weight	1.2kg (2.6lbs)

Model MT650

230W motor
CB-64A



6.5mm (1/4") Drill

Continuous rating Input	230W
Max. capacities	Steel 6.5mm (1/4") Wood 9mm (11/32")
No load speed (rpm)	4,500
Overall length	213mm (8-3/8")
Net weight	0.9kg (2.0lbs)

Model MT651

230W motor
CB-85A



6.5mm (1/4") Drill

Continuous rating Input	230W
Max. capacities	Steel 6.5mm (1/4") Wood 9mm (11/32")
No load speed (rpm)	0-4,500
Overall length	206mm (8-1/8")
Net weight	0.9kg (2.0lbs)

Model MT811

430W motor
CB-85A



13mm (1/2") Hammer Drill

Continuous rating Input	430W
Max. capacities	Concrete 13mm (1/2") Steel 13mm (1/2") Wood 18mm (11/16")
No load speed (rpm)	0-2,800
Blows per minute	0-30,800
Overall length	272mm (10-3/4")
Net weight	1.6kg (3.5lbs)

Model MT813

710W motor
CB-85A



15mm (5/8") Hammer Drill

Continuous rating Input	710W
Max. capacities	Steel 13mm (1/2") Wood 30 (1-3/16) Brick 16 (5/8)
No load speed (rpm)	0-3,000
Blows per minute	0-45,000
Net weight	2.0kg (4.4lbs)

Model MT910

260W motor
CB-411A



6mm (1/4") Die Grinder

Continuous rating Input	260W
Capacities	Collet : 6mm or 1/4" Wheel dia. : 38mm (1-1/2")
No load speed (rpm)	25,000
Dimensions (L x W x H)	328 x 63 x 63mm (13" x 2-1/2" x 2-1/2")
Net weight	1.1kg (2.4lbs)



Model MT920

180W motor
CB-419A



Finishing Sander

Continuous rating Input	180W
Pad size	112 x 102mm (4-3/8"x4")
Abrasive paper Size	140 x 114mm (5-1/2"x4-1/2")
Orbits per min	14,000
Net weight	0.8Kg (1.81lbs)

Model MT921

180W motor
CB-64A



Finishing Sander

Continuous rating Input	180W
Pad size	93 x 185mm (3-5/8"x7-1/4")
Abrasive paper Size	93 x 228mm (3-5/8"x9")
Orbits per min	12,000
Net weight	1.3Kg (2.9lbs)



Model MT940

940W motor
CB-153A



Belt Sander

Continuous rating Input	940W
Belt size	100 x 610mm (4" x 24")
Belt speed	380m/min. (1,250ft/min)
Net weight	6.3kg (13.9lbs)



Model MT954

570W motor
CB-411A



100mm (4") Angle Grinder

Continuous rating Input	570W
Max. capacities (dia.)	100mm (4")
Depressed center wheel	100mm (4")
Wire cup brush	75mm (3")
Abrasive disc	100mm (4")
Diamond wheel	110mm (4-3/8")
No load speed (rpm)	12,000
Overall length	256mm (10-1/8")
Spindle thread	M10 x 1.5
Net weight	1.5kg (3.3lbs)

Model MT958

710W motor
CB-411A



100mm (4") Angle Grinder

Continuous rating Input	710W
Max. capacities (dia.)	100mm (4")
Depressed center wheel	100mm (4")
Wire cup brush	75mm (3")
Abrasive disc	100mm (4")
Diamond wheel	110mm (4-3/8")
No load speed (rpm)	11,000
Overall length	266mm (10-1/2")
Spindle thread	M10 x 1.5
Net weight	1.5kg (3.3 lbs)



Model MT959

570W motor
CB-411A



100mm (4") Angle Grinder

Continuous rating Input	570W
Wheel size	100mm (4")
Depressed center wheel	100mm (4")
Wire cup brush	75mm (3")
Abrasive disc	100mm (4")
Diamond wheel	110mm (4-3/8")
No load speed (rpm)	12,000
Net weight	1.4kg (3.1lbs)



Model MT960

720W motor
CB-411A



100mm (4") Angle Grinder

Continuous rating Input	720W
Wheel size	100mm (4")
Diameter	100mm (4")
No load speed (rpm)	12,000
Net weight	1.4kg

Model MT900 / MT901

2,000W motor
CB-204A
AUTO-CUT



180mm (7") / 230mm (9") Disc Grinder

Continuous rating Input	2,000W
Wheel size	180mm (7") / 230mm (9")
Diameter	180mm (7") / 230mm (9")
No load speed (rpm)	8,500 / 6,600
Net weight	4.3kg



Model MT0625K / MT0625K2

9.6V
• MT0625K2
(Two Batteries)



10mm (3/8") Cordless Driver Drill

Max. capacities	Steel 10mm (3/8")* Wood 21mm (13/16")
Wood screws	5.1 x 38mm (3/16" x 1-1/2")
No load speed (rpm)	Hi : 0-1,000 / Lo : 0-350
Max. fastening torque	13/18N.m (133/184kgf.cm)
Overall length	203mm (8")
Net weight	1.3kg (2.9lbs)
Voltage	9.6V
Charging time	1hour



Model MT0635K / MT0635K2

12V
• MT0635K2
(Two Batteries)



10mm (3/8") Cordless Driver Drill

Max. capacities	Steel 10mm (3/8") Wood 24mm (15/16")
Wood screws	5.1 x 63mm (3/16" x 2-1/2")
No load speed (rpm)	Hi : 0-1,000 / Lo : 0-350
Max. fastening torque	14/21N.m (143/214kgf.cm)
Overall length	203mm (8")
Net weight	1.4kg (3.1lbs)
Voltage	12V
Charging time	1hour



Model MT0645K / MT0645K2

14.4V
• MT0645K2
(Two Batteries)



10mm (3/8") Cordless Driver Drill

Max. capacities	Steel 0.5-10mm (3/8") Wood 25mm (13/16")
Wood screws	6.0 x 75mm (1/4"x2-15/16")
No load speed (rpm)	Hi : 0-1,300 / Lo : 0-400
Max. fastening torque	15/18N.m (155/284kgf.cm)
Overall length	214mm (8-3/8")
Net weight	2.0kg (4.4lbs)
Voltage	14.4V
Charging time	1hour



Model MT0655K / MT0655K2

18V
• MT0655K2
(Two Batteries)



13mm (1/2") Cordless Driver Drill

Max. capacities	Steel 13mm (1/2") Wood 28mm (1 1/8")
Wood screws	6.0 x 75mm (1/4"x2-15/16")
No load speed (rpm)	Hi : 0-1,300 / Lo : 0-400
Max. fastening torque	16/30N.m (163/306kgf.cm)
Overall length	225mm (8-7/8")
Net weight	2.2kg (4.8lbs)
Voltage	18V
Charging time	1hour



Model MT0665K / MT0675K / MT0675K2

7.2V
• MT0675K2
(Two Batteries)



10mm (3/8") Cordless Driver Drill

Capacities	Steel / Wood 10mm (3/8") Screw 4.5 x 20mm (3/16" x 3/4")
No load speed (rpm)	600
Overall length (rpm)	223
Net weight	1.1kg (2.4lbs)
Voltage	7.2V
Charging time	1hour



Model MT700



2stroke Brush Cutter

Displacement	26cc
Fuel tank	600cc
Ignition system	Diaphragm type
Dry weight	5.1kg
Overall length	1735mm
Mixing ratio	25 : 1

คำแนะนำ

- ควรเลือกสินค้าที่เหมาะสมกับการใช้งาน
- อะไหล่แท้จะช่วยยืดอายุการใช้งานของเครื่องให้คงทน
- รับประกันสินค้าลอกเลียนแบบ
- หากพบสินค้าลอกเลียนแบบแจ้งเบาะแสได้ที่ บริษัท สำนักกฎหมาย ดำเนิน สมเกียรติและบุญมา จำกัด โทร 02-639-1955 ต่อ 250 หรือ 257

	High Volt CB No.	Part No.	MAKITA MODEL	MAKTEC MODEL
Carbon Brush	CB-1	181019-9	903	
	CB-51A	A-81181	1902, 4300BA, 4300BV, 6013B, 6016, 6300-4, 6300NB, 8419B, N3701	
	CB-55A	A-81197	8416	
	CB-64A	A-81206 (ແອັກເຕີ) B-80195 (ແອັກໂທນ)	4327, 4329, 6010B, 6411, 6412, 6700N, 6802BV, 906, BO3700, BO4510, BO4540, GV6010, MUH353G, MUH353R	MT650, MT921
	CB-65A	A-81309	6905B, 906H, JS1600	
	CB-70A	A-81212	6501	
	CB-85A	A-88870	HP1630, HP1630KSP	MT400, MT600, MT603, MT651, MT811, MT813
	CB-100A	A-81228 (ແອັກເຕີ) B-80092 (ແອັກໂທນ)	1100, 1600, 4014N, 4014NV, 5600NB, 5800NB, 6906, 9005N, 9006N, 9045B, 9045N, 9207SPB, 9218PB, 9218PBL, 9218SB, 9924DB, JN3200, JS3200, PC1100, PC5000C, PC5001C	
	CB-106A	A-81290	6301, 6401, 8420V	
	CB-113	191904-8	HK0500	
	CB-132	191972-1	KP0810K, KP0810CK	
	CB-153A	A-81240 (ແອັກເຕີ) B-80117 (ແອັກໂທນ)	1804N, 1805N, 2012NB, 2416S, 2702, 2703, 3600H, 3612BR, 4107R, 5007NF, 5008MG, 5103N, 5201N, 5402, 9105, 9401, 9402, 9607NB, GA7001, GC5000, LS1040, LS1212, LS1440, N5900B, TW1000	MT940
	CB-165	191936-5	407	
	CB-203A	A-81321 (ແອັກເຕີ) B-80139 (ແອັກໂທນ)	2414B, 3612, 3612C, LC1230	MT240, MT360
	CB-251A	A-81343	4100NB	
	CB-303A	A-81664 B-80151 (ແອັກໂທນ)	2107F, 4100NH, 4131, 4140, 5606B, 5806B-C, 9015B, 9016B, 9227C, 9403, GA5010, GA5020, GA6010, GA6020, JR3050T, JR3070CT, UB1100, UB1101, UT1305, UT2204	MT110X, MT410, MT560, MT580
	CB-325	194074-2	9553B, 9553BX, 9556HN, 9556HP, 9556NB, GD0600, GD0601, GD0800, HR2230, HR2460F, HR2470, HR2470FT, HR2810, HR2811F, HR2811FT	
	CB-327A	A-81692 (ແອັກເຕີ) B-80204 (ແອັກໂທນ)	HM1100, HM1100C, HR3000C	
	CB-411A	A-88537 (ແອັກເຕີ) B-80167 (ແອັກໂທນ)	3709, 6951, 6952, 9031, 9500NB, 9533, 9533B, 9533BL, 9533L, 9910, JN1601, TW0200, TW0350	MT190, MT370, MT910, MT954, MT958, MT959, MT960
	CB-415A	A-81278 (ແອັກເຕີ) B-80173 (ແອັກໂທນ)	6904VH, 6905H, NHP1300S, NHP1320S	
	CB-419A	A-81284 (ແອັກເຕີ) B-80086 (ແອັກໂທນ)	4350T, 4350CT, 6821, BO4555, BO4556, BO4557, BO4565, BO4901, DA3010, DP4010, HP1230, HP2050, HP2051, HR1830	MT920, MT922
	CB-430	191971-3	BGA402RFE	
	CB-440	194427-5	BDF440RFE, BDF450RFE, BTD130FRFE, BTD140RFE, BTW152RFE, BTW250RFE, BTW251RFE	
	CB-441	194435-6	BHR202RFE, BHR241RFE, BJR181RFE, BTW450RFE	
CB-459/460	194723-1	GA4030		
Auto Cut-out Carbon Brush	CB-105A	A-81234 (ແອັກເຕີ) B-80101 (ແອັກໂທນ)	HM0810T, HR2010	
	CB-155A	A-81256 (ແອັກເຕີ) B-80123 (ແອັກໂທນ)	HM1201, HM1202C, HM1400	MT430
	CB-171	194412-8	HR4501C, HR4511C, HR5211C	
	CB-204A	A-81337 (ແອັກເຕີ) B-80145 (ແອັກໂທນ)	9077, 9617, GA7020, GA7030, GA9020, GA9030, HM1306, HM1500, HM1801, HM1810	MT900, MT901
	CB-318	191978-9	GD0800C, GD0810C, SG1250	
	CB-350	194160-9	HK1820, HR3200C, HR3210C, HR3530, HR4011C, HR4030C	